

----- POPULATION ESTIMATES -----				----- CANCER INCIDENCE -----		----- LOCAL PUBLIC HEALTH -----		
Total 1998 Population Est 14,070				(Cancer incidence is for 1997)		<u>Activities Reported</u>	<u>Number</u>	<u>Per 10,000</u>
Percent Female 49.9								
Population per square mile 17				<u>Primary Site</u>		<u>Public Health Nursing</u>		
Rank in state 63						Total clients	296	209
( 1=highest population density,				Breast 14		Total visits	1,391	983
72=lowest population density.)				Cervical 1		Visits: Reason for		
				Colorectal 11		Gen hlth promotion	111	78
				Lung, Trachea, & Bronchus 15		Infant/child hlth	340	240
				Prostate 17		Infectious & parasitic	73	52
				<u>Other sites</u> 27		Circulatory	38	27
				Total 85		Prenatal	737	521
						Postpartum	52	37
				----- LONG-TERM CARE -----		<u>WIC Participants</u>		
							756	537
				<u>Community Options and MA Waiver Programs</u>		<u>Clinic Visits</u>		
						Immunization	4,844	3,422
						Blood pressure	3,191	2,254
							.	.
						<u>Environmental Contacts</u>		
						Env hazards	19	13
						Public health nuisance	538	380
						<u>School Health</u>		
						Vision screenings	.	.
						Hearing screenings	.	.
						<u>Health Education</u>		
						Community sessions	13	9
						Community attendance	103	73
						School sessions	1	1
						School attendance	10	7
						<u>Staffing - FTEs</u>		
						Total staff	8	5.9
						Administrators	2	1.1
						Public health nurses	3	1.8
						Public health aides	1	0.6
						Environmental specialists	.	.
						<u>LOCAL PUBLIC HEALTH FUNDING</u>		
								<u>Per</u>
								<u>Amount Capita</u>
						Total funding	\$403,451	\$28.50
						Local taxes	\$213,950	\$15.12

Age	Female	Male	Total
0-14	1,190	1,250	2,440
15-19	490	530	1,020
20-24	360	360	720
25-29	300	310	600
30-34	340	340	690
35-39	510	490	1,000
40-44	530	570	1,100
45-54	910	960	1,870
55-64	840	870	1,700
65-74	780	820	1,600
75-84	550	440	990
85+	240	100	340
Total	7,020	7,040	14,070

Age	Female	Male	Total
0-17	1,480	1,550	3,030
18-44	2,240	2,300	4,540
45-64	1,750	1,830	3,570
65+	1,570	1,360	2,930
Total	7,020	7,040	14,070

(Poverty estimates for 1995 are included in the 1997 profiles. Poverty statistics will be updated after the 2000 Census.)

#### ----- EMPLOYMENT -----

**Average wage** for jobs covered by Unemployment Compensation \$20,366  
Note: Average wage is based on place of work, not place of residence.

<u>Labor Force Estimates</u>	<u>Annual Average</u>
Civilian labor force	7,037
Number employed	6,739
Number unemployed	298
Unemployment rate	4.2%

(Cancer incidence is for 1997)		
<b>Primary Site</b>	<b>Number</b>	
Breast	14	
Cervical	1	
Colorectal	11	
Lung, Trachea, & Bronchus	15	
Prostate	17	
<u>Other sites</u>	<u>27</u>	
Total	85	
----- LONG-TERM CARE -----		
<b>Community Options and MA Waiver Programs</b>		
	<b># Clients</b>	<b>Costs</b>
COP	98	\$107,993
MA Waivers *		
CIP1A	5	\$207,429
CIP1B	31	\$293,835
CIP2	6	\$83,392
COP-W	67	\$291,644
CSLA	0	\$0
<u>Brain Inj</u>	<u>1</u>	<u>\$59,679</u>
Total COP/Wvrs	145	\$1,043,972

\$80,304 of the above Waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.

\* Waiver costs reported here include federal funding.

<b>Home Health Agencies</b>	1
Patients	94
Patients per 10,000 pop.	67
<b>Nursing Homes</b>	2
Licensed beds	147
Occupancy rate	93.2%
Residents on 12/31/98	138
Residents aged 65 or older per 1,000 population	44

## NATALITY

TOTAL LIVE BIRTHS	149	
Crude Live Birth Rate	10.6	
General Fertility Rate	59.2	
Live births with reported congenital anomalies	3	. %

<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>
Vaginal after previous cesarean	8	5
Forceps	1	1
Other vaginal	117	79
Primary cesarean	16	11
Repeat cesarean	7	5
Other or unknown	0	0

<u>Birth Weight</u>	<u>Births</u>	<u>Percent</u>
<1,500 gm	3	2.0
1,500-2,499 gm	6	4.0
2,500+ gm	140	94.0
Unknown	0	0.0

<b>Birth Order</b>	<b>Births</b>	<b>Percent</b>
First	58	39
Second	49	33
Third	29	19
Fourth or higher	13	9
Unknown	0	0

<b>First Prenatal Visit</b>	<b>Births</b>	<b>Percent</b>
1st trimester	108	72
2nd trimester	35	23
3rd trimester	2	1
No visits	0	0
Unknown	4	3

<b>Number of Prenatal Care visits</b>	<b>Births</b>	<b>Percent</b>
No visits	0	0
1-4 visits	6	4
5-9 visits	36	24
10-12 visits	67	45
13+ visits	36	24
Unknown	4	3

<b>Marital Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Married	100	67
Not married	49	33
Unknown	0	0

<b><u>Education of Mother</u></b>	<b><u>Births</u></b>	<b><u>Percent</u></b>
Elementary or less	1	1
Some high school	19	13
High school	71	48
Some college	36	24
College graduate	21	14
Unknown	1	1

<b>Smoking Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Smoker	44	30
Nonsmoker	103	69
Unknown	2	1

	Total Births		Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit					
					1st Trimester		2nd Trimester		Other/Unknown	
Race of Mother	Births	Percent	Births	Percent	Births	Percent	Births	Percent	Births	Percent
White	132	89	9	6.8	101	77	28	21	3	2
Black	2	1	*	.	*	.	*	.	*	.
Other	15	10	.	.	7	47	6	40	2	13
Unknown	0	0	.	.	.	.	.	.	.	.

			Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Fertility				1st Trimester		2nd Trimester		Other/Unknown	
<u>Age of Mother</u>	<u>Births</u>	<u>Rate</u>	<u>Births</u>	<u>Percent</u>	<u>Births</u>	<u>Percent</u>	<u>Births</u>	<u>Percent</u>	<u>Births</u>	<u>Percent</u>
<15	1	--	*	.	*	.	*	.	*	.
15-17	3	.	*	.	*	.	*	.	*	.
18-19	10	.	1	10.0	7	70	3	30	.	.
20-24	52	145	4	7.7	35	67	13	25	4	8
25-29	49	166	3	6.1	38	78	10	20	1	2
30-34	26	76	1	3.8	22	85	3	12	1	4
35-39	5	.	.	.	4	80	1	20	.	.
40+	3	.	*	.	*	.	*	.	*	.
Unknown	0	--	.	.	.	.	.	.	.	.

## Teenage Births

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	22
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	0
Tuberculosis	0

\* 1998 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	16
Genital Herpes	<5
Gonorrhea	0
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

## Children in Grades K-12 by Compliance Level

Compliant	2,268
Non-compliant	30
Percent Compliant	98.7

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	192
Crude Death Rate	1,365

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	1	.
20-34	2	.
35-54	17	.
55-64	17	.
65-74	39	2,437
75-84	63	6,404
85+	52	15,207

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	1	.
Neonatal	1	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	2	.
Neonatal	1	.
Fetal	1	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	64	455
Coronary heart disease	36	256
Cancer (total)	44	313
Lung	7	.
Colorectal	2	.
Female breast	4	.*
Cerebrovascular Disease	11	.
Chron Obstr Pulmonary	9	.
Pneumonia & Influenza	12	.
Injuries	17	.
Motor vehicle	5	.
Diabetes	5	.
Infectious & Parasitic	.	.
Suicide	2	.

\* Rate for female breast cancer based on female population.

## ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	3	.
Other Drugs	.	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	164	3
Alcohol-Related	52	2
With Citation:		
For OWI	24	1
For Speeding	18	0
Motorcyclist	6	0
Bicyclist	2	0
Pedestrian	1	2

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	99	7.0	3.5	\$5,839	\$41
<18	4	.	.	.	.
18-44	26	5.7	2.2	\$3,826	\$22
45-64	14	.	.	.	.
65+	55	18.8	4.1	\$6,957	\$131
<b>Injury: Hip Fracture</b>					
Total	20	1.4	5.1	\$10,323	\$15
65+	19	.	.	.	.
<b>Injury: Poisonings</b>					
Total	12	.	.	.	.
18-44	5	.	.	.	.
<b>Psychiatric</b>					
Total	76	5.4	6.7	\$4,727	\$26
<18	3	.	.	.	.
18-44	35	7.7	4.6	\$3,063	\$24
45-64	18	.	.	.	.
65+	20	6.8	8.2	\$6,457	\$44
<b>Coronary Heart Disease</b>					
Total	78	5.5	2.4	\$6,175	\$34
45-64	21	5.9	2.1	\$6,606	\$39
65+	51	17.4	2.6	\$5,485	\$96
<b>Malignant Neoplasms (Cancers): All</b>					
Total	49	3.5	3.6	\$6,994	\$24
18-44	1	.	.	.	.
45-64	17	.	.	.	.
65+	31	10.6	3.3	\$6,948	\$74
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	9	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	6	.	.	.	.
65+	5	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	8	.	.	.	.
<b>Diabetes</b>					
Total	13	.	.	.	.
65+	7	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	51	3.6	5.9	\$3,169	\$11
18-44	34	7.5	4.7	\$2,599	\$20
45-64	10	.	.	.	.
<b>Pneumonia and Influenza</b>					
Total	75	5.3	4.0	\$5,551	\$30
<18	6	.	.	.	.
45-64	9	.	.	.	.
65+	58	19.8	4.4	\$6,195	\$123
<b>Cerebrovascular Disease</b>					
Total	44	3.1	3.2	\$4,758	\$15
45-64	3	.	.	.	.
65+	40	13.7	3.3	\$4,879	\$67
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	69	4.9	3.3	\$4,781	\$23
<18	4	.	.	.	.
18-44	7	.	.	.	.
45-64	17	.	.	.	.
65+	41	14.0	3.8	\$5,318	\$75
<b>Drug-Related</b>					
Total	6	.	.	.	.
18-44	6	.	.	.	.
<b>Total Hospitalizations</b>					
Total	1,626	115.6	3.2	\$4,795	\$554
<18	199	65.6	2.7	\$2,128	\$140
18-44	389	85.9	2.7	\$3,674	\$316
45-64	280	78.2	3.0	\$5,295	\$414
65+	758	259.1	3.7	\$5,886	\$1,525

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	321	22.8	3.1	\$4,365	\$100
<18	22	7.3	1.9	\$2,073	\$15
18-44	22	4.9	2.5	\$4,209	\$20
45-64	52	14.5	2.8	\$3,995	\$58
65+	225	76.9	3.4	\$4,690	\$361

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1998 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.